

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 03/14/2024

Reviewed on 03/14/2024

1 Identification

- **Product Identifier**
- **Trade Name: HR® Ultrasound Jelly**
- **Relevant identified uses of the substance or mixture and uses advised against:**
No further relevant information available.
- **Product Description:** Professional (clinical) lubricant.
- **Details of the Supplier of the Safety Data Sheet:**
- **Manufacturer/Supplier:**
HR HealthCare
2600 Eastern Blvd.
Suite 201
York, PA 17402
Phone: 877-302-1110
Fax: 717-685-2590
www.hrhealthcare.com
- **Emergency telephone number:** (877) 302-0111

*** 2 Hazard(s) Identification**

- **Classification of the substance or mixture:**
The product does not need classification according to OSHA HazCom Standard 29 CFR paragraph (d) of §1910.1200(g) and GHS Rev 03.
 - **Additional information:** None.
-
- **Label elements:**
 - **Hazard pictograms:** Non-Regulated Material
 - **Signal word:** Non-Regulated Material
 - **Hazard statements:** Non-Regulated Material
 - **Unknown acute toxicity:**
This value refers to knowledge of known, established toxicological or ecotoxicological values.
0 % of the mixture consists of component(s) of unknown toxicity.
 - **Hazard description:** None.
 - **Classification system:** NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme
 - **NFPA ratings (scale 0 - 4)**



- **HMIS-ratings (scale 0 - 4)**

HEALTH	0	Health = 0
FIRE	1	Fire = 1
REACTIVITY	0	Physical Hazard = 0

- **Hazard(s) not otherwise classified (HNOC):** None known

3 Composition/Information on Ingredients

· Non-hazardous components:	
7732-18-5 Water, distilled water, deionized water	60-90%

- **Chemical characterization: Substance**
- **Description:** Mixture of substances listed below with non-hazardous additions.

(Contd. on page 2)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 03/14/2024

Reviewed on 03/14/2024

Trade Name: HR® Ultrasound Jelly

· Dangerous Components:		
CAS: 57-55-6 RTECS: TY 2000000	Propylene Glycol	2-12%
CAS: 9004-65-3	Hydroxypropyl Methylcellulose	<2.5%

· Additional information:

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

*** 4 First-Aid Measures****· Description of first aid measures**

· General information: If symptoms persist, call a physician.

· After inhalation: Not a normal route of entry.

· After skin contact:

Generally, the product does not irritate the skin.

If skin irritation occurs, consult a doctor.

· After eye contact:

Flush eyes with plenty of 1% physiological saline solution. If no saline is available, flush with copious amounts of water.

· After swallowing:

Do not induce vomiting.

If swallowed and symptoms occur, consult a doctor.

· Information for doctor

· Most important symptoms and effects, both acute and delayed: No further relevant information available.

· Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

*** 5 Fire-Fighting Measures****· Extinguishing media**

· Suitable extinguishing agents: Use fire fighting measures that suit the environment.

· For safety reasons unsuitable extinguishing agents: No further relevant information.

· Special hazards arising from the substance or mixture:

If involved in a fire, the packaging materials may produce poisonous gas.

· Advice for firefighters**· Special protective equipment for firefighters:**

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

· Additional information: None.

6 Accidental Release Measures**· Personal precautions, protective equipment and emergency procedures:**

Product is slippery when spilled.

· Environmental precautions: Dilute with plenty of water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust).

Dispose of the collected material according to regulations.

· Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

(Contd. on page 3)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 03/14/2024

Reviewed on 03/14/2024

Trade Name: HR® Ultrasound Jelly

· PAC-1:		
57-55-6	Propylene Glycol	30 mg/m ³
1310-73-2	Sodium Hydroxide	0.5 mg/m ³
· PAC-2:		
57-55-6	Propylene Glycol	1,300 mg/m ³
1310-73-2	Sodium Hydroxide	5 mg/m ³
· PAC-3:		
57-55-6	Propylene Glycol	7,900 mg/m ³
1310-73-2	Sodium Hydroxide	50 mg/m ³

7 Handling and Storage

- **Handling**
- **Precautions for safe handling:** No special precautions are necessary if used correctly.
- **Information about protection against explosions and fires:**
If involved in a fire, the packaging materials may produce poisonous gas.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:** Store in the original container.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Specific end use(s):** No further relevant information available.

8 Exposure Controls/Personal Protection

- **Additional information about design of technical systems:** No further data; see section 7.
- **Control parameters:**
- **Components with occupational exposure limits:**
The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.
At this time, the remaining constituents have no known exposure limits.

57-55-6 Propylene Glycol	
WEEL	Long-term value: 10 mg/m ³

- **Additional information:** The lists that were valid during the creation of this SDS were used as basis.
- **Exposure controls:**
- **Personal protective equipment**
- **General protective and hygienic measures:**
The usual precautionary measures for handling chemicals should be followed.
Wash hands before breaks and at the end of work.
- **Breathing equipment:** Not required.
- **Protection of hands:** Not required.
- **Material of gloves:** Not required.
- **Penetration time of glove material:** Not applicable.
- **Eye protection:** Not required.
- **Limitation and supervision of exposure into the environment:** None

(Contd. on page 4)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 03/14/2024

Reviewed on 03/14/2024

Trade Name: HR® Ultrasound Jelly**9 Physical and Chemical Properties**

- **Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**
 - Form:** Gel
 - Color:** Translucent
 - Odor:** Odorless
- **Odor threshold:** Not determined.
- **pH-value:** 5.5-6.7
- **Change in condition Melting point/Melting range:** Not determined.
- **Boiling point/Boiling range:** Not determined.
- **Flash point:** None
- **Flammability (solid, gaseous):** Not applicable.
- **Auto igniting:** Not applicable
- **Decomposition temperature:** Not determined.
- **Ignition temperature:** Product is not self-igniting.
- **Danger of explosion:** Product does not present an explosion hazard.
- **Explosion limits:**
 - Lower:** Not determined.
 - Upper:** Not determined.
- **Vapor pressure:** Not determined.
- **Density @ 20 °C (68 °F):** 1.01 g/cm³ (8.4285 lbs/gal)
- **Relative density:** Not determined.
- **Vapor density:** Not determined.
- **Evaporation rate:** Not determined.
- **Solubility in / Miscibility with:**
 - Water:** Fully miscible.
- **Partition coefficient (n-octanol/water):** Not determined.
- **Viscosity:**
 - Dynamic:** Not determined.
 - Kinematic:** Not determined.
- **Solvent content:**
 - VOC content:** 0.00 %
- **Other information:** No further relevant information available.

10 Stability and Reactivity

- **Reactivity:** No further relevant information available.
- **Chemical stability:** Stable under normal conditions.
- **Thermal decomposition / conditions to be avoided:**
If involved in a fire, the packaging materials may produce poisonous gas.

(Contd. on page 5)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 03/14/2024

Reviewed on 03/14/2024

Trade Name: HR® Ultrasound Jelly

- **Possibility of hazardous reactions:** No dangerous reactions known.
- **Conditions to avoid:** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological Information

- **Information on toxicological effects:**
- **Acute toxicity:**

· LD/LC50 values that are relevant for classification:		
57-55-6 Propylene Glycol		
Oral	LD50	20,000 mg/kg (Rat)
Dermal	LD50	20,800 mg/kg (rabbit)
Inhalative	LC50/96 hours	52,930 mg/l (Pimephales)
	Intravenous	6,630 mg/kg (mouse)
		6,423 mg/kg (Rat)
		6,500 mg/kg (rabbit)

- **Primary irritant effect:**
- **On the skin:** No irritating effect.
- **On the eye:** No irritating effect.
- **Additional toxicological information:**
- **Carcinogenic categories:**

· IARC (International Agency for Research on Cancer):
None of the ingredients are listed.

· NTP (National Toxicology Program):
None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration):
None of the ingredients are listed.

12 Ecological Information

- **Toxicity:**
- **Aquatic toxicity:**

57-55-6 Propylene Glycol	
EC50	>10,000 mg/l (Daphnia)

- **Persistence and degradability:** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential:** No further relevant information available.
- **Mobility in soil:** No further relevant information available.
- **Additional ecological information:**
- **General notes:** Not known to be hazardous to water.
- **Results of PBT and vPvB assessment:**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects:** No further relevant information available.

(Contd. on page 6)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 03/14/2024

Reviewed on 03/14/2024

Trade Name: HR® Ultrasound Jelly

13 Disposal Considerations

- **Waste treatment methods**
- **Recommendation:**
Observe all federal, state and local environmental regulations when disposing of this material.
- **Uncleaned packaging**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport Information

- **UN-Number:** Non-Regulated Material.
- **DOT, ADR/ADN, ADN, IMDG, IATA:** Non-Regulated Material.
- **UN proper shipping name:** Non-Regulated Material.
- **DOT, ADR/ADN, ADN, IMDG, IATA:** Non-Regulated Material.
- **Transport hazard class(es):** Non-Regulated Material.
- **DOT, ADR/ADN, ADN, IMDG, IATA:** Non-Regulated Material.
- **Class:** Non-Regulated Material.
- **Packing group:** Non-Regulated Material.
- **DOT, ADR/ADN, IMDG, IATA:** Non-Regulated Material.
- **Environmental hazards:** Not applicable.
- **Special precautions for user:** Not applicable.
- **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:** Not applicable.
- **UN "Model Regulation":** Non-Regulated Material.

15 Regulatory Information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture:**
No further relevant information available.
- **SARA (Superfund Amendments and Reauthorization):**

· **Section 355 (extremely hazardous substances):**
None of the ingredients are listed.

· **Section 313 (Specific toxic chemical listings):**
None of the ingredients are listed.

· **TSCA (Toxic Substances Control Act):**
All components have the value ACTIVE.

· **Hazardous Air Pollutants**
None of the ingredients are listed.

· **California Proposition 65:**

· **Chemicals known to cause cancer:**
None of the ingredients are listed.

· **Chemicals known to cause reproductive toxicity for females:**
None of the ingredients are listed.

· **Chemicals known to cause reproductive toxicity for males:**
None of the ingredients are listed.

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 03/14/2024

Reviewed on 03/14/2024

Trade Name: HR® Ultrasound Jelly

· Chemicals known to cause developmental toxicity:	
None of the ingredients are listed.	
· New Jersey Right-to-Know List:	
57-55-6	Propylene Glycol
1310-73-2	Sodium Hydroxide
· New Jersey Special Hazardous Substance List:	
1310-73-2	Sodium Hydroxide
	CO, R1
· Pennsylvania Right-to-Know List:	
57-55-6	Propylene Glycol
1310-73-2	Sodium Hydroxide
· Pennsylvania Special Hazardous Substance List:	
1310-73-2	Sodium Hydroxide
	E
· Carcinogenic categories:	
· EPA (Environmental Protection Agency):	
None of the ingredients are listed.	
· TLV (Threshold Limit Value established by ACGIH):	
None of the ingredients are listed.	
· NIOSH-Ca (National Institute for Occupational Safety and Health):	
None of the ingredients are listed.	
· GHS label elements Non-Regulated Material.	
· Hazard pictograms: Non-Regulated Material.	
· Signal word: Non-Regulated Material.	
· Hazard statements: Non-Regulated Material.	
· National regulations:	
The product is not subject to be labelled according with the prevailing version of the regulations on hazardous substances.	
· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.	

16 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

· **Contact:**

· **Abbreviations and acronyms:**

- ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road
- ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
- IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation
- IATA: International Air Transport Association
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- NFPA: National Fire Protection Association (USA)
- HMIS: Hazardous Materials Identification System (USA)
- VOC: Volatile Organic Compounds (USA, EU)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 03/14/2024

Reviewed on 03/14/2024

Trade Name: HR® Ultrasound Jelly

PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety and Health
OSHA: Occupational Safety & Health Administration
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit

· *** Data compared to the previous version altered.**

SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106